



Acquiring TEPEZZA

Guide to ordering from
specialty distributors
or a specialty pharmacy

Please see Important Safety Information on last page
and accompanying [Full Prescribing Information](#)
or visit TEPEZZAhcp.com.

TEPEZZA[®]
teprotumumab-trbw



Acquiring TEPEZZA

TEPEZZA is available through Amgen-authorized specialty distribution partners

Authorized Specialty Distributors for TEPEZZA	
Physician Channel (independent physicians and clinics)	
BioCareSD®	T: 1-800-304-3064 www.biocaresd.com
McKesson Specialty Health	T: 1-855-477-9800 www.mckessonspecialtyhealth.com
Metro® Medical	T: 1-800-768-2002 www.metromedical.com
Oncology Supply®	T: 1-800-633-7555 www.oncologysupply.com
Besse® Medical	T: 1-800-543-2111 www.besse.com
CuraScript SD®	T: 1-877-599-7748 www.curascripts.com
Acute Channel (hospitals and non-retail pharmacies)	
BioCareSD® Acute	T: 1-800-304-3064 www.biocaresd.com
McKesson Plasma and Biologics	T: 1-877-625-2566 www.mckesson.com/about-mckesson/our-company/businesses/plasma-and-biologics/
Cardinal Health™ Specialty Pharmaceutical Distribution	T: 1-866-476-1340 https://www.cardinalhealth.com/en/solutions/specialty-distribution.html
ASD Healthcare®	T: 1-800-746-6273 www.asdhealthcare.com
CuraScript SD® Acute	T: 1-877-599-7748 www.curascripts.com



To be contacted by a member of the TEPEZZA team,
visit TEPEZZAhcp.com

Specialty distribution process

A specialty distributor is a wholesale pharmaceutical distributor that buys and ships drugs that require special handling and support.

Once the prescribing healthcare provider makes the decision to treat, TEPEZZA can be ordered through the following buy and bill process:

1. Complete benefits and verify procurement method through the patient's insurance

- Verify benefits and procurement options
- Complete prior authorization submission, if required
- Confirm payment mechanisms to ensure the order can move forward
- Payor requirements and/or HCP preferences may determine the site of care

2. Site of care will process the order with the specialty distributor

- Confirm an existing account or set up a new account with one of the authorized specialty distributors. Reference the TEPEZZA NDC number (75987-130-15)¹ on the product fact sheet
- Call the specialty distributor to complete the order

3. Site of care will coordinate scheduling of TEPEZZA administration with product delivery

4. Specialty distributor ships TEPEZZA to site of care

5. Site of care collects co-pay when patient comes for infusion

6. Submit claims for TEPEZZA and the administration of treatment

HCP, healthcare professional; NDC, National Drug Code.

Authorized specialty pharmacy for TEPEZZA

Contact Information

Accredo® Ophthalmic TRC

T: 1-877-626-1511

F: 1-877-329-4605

www.accredo.com

This is a dedicated phone line for ophthalmic products.

Accredo Ophthalmic TRC is the exclusive specialty pharmacy for TEPEZZA



Amgen By Your Side is a support program for patients prescribed TEPEZZA. Our dedicated team is your patient's partner, committed to providing nonmedical support to help patients as they start and continue on treatment as prescribed. Call **1-833-583-7399** or visit **AmgenByYourSide.com** to initiate enrollment for your patient by submitting the Patient Enrollment Form (PEF).

Specialty pharmacy process

A specialty pharmacy dispenses and offers support services for specialty drugs that typically treat complex conditions or require special handling.

TEPEZZA is most often ordered through the buy and bill process:

1. Complete benefits and verify procurement method through the patient's insurance

- Verify benefits and procurement options
- Complete prior authorization submission, if required
- Payor requirements and/or HCP preferences may determine the site of care

2. Site of care will request that the prescriber send the prescription on the enrollment form to Amgen By Your Side or directly to Accredo

- Accredo process often requires prior authorization approval prior to triage

3. Work with Accredo to verify insurance approval

- Accredo may contact your practice for additional documentation and final submission
- If a prior authorization is required for TEPEZZA, include a letter of medical necessity and supporting documents when providing a prescription or referral form

4. Accredo collects co-pay from patient

5. Accredo ships TEPEZZA to site of care

6. Accredo submits claims for TEPEZZA procurement, and site of care submits claim for the administration of TEPEZZA

For additional reimbursement resources,
visit [TEPEZZAhcp.com](https://www.tepezzahcp.com)

INDICATION

TEPEZZA is indicated for the treatment of Thyroid Eye Disease regardless of Thyroid Eye Disease activity or duration.

IMPORTANT SAFETY INFORMATION

WARNINGS AND PRECAUTIONS

Infusion Reactions: TEPEZZA may cause infusion reactions. Infusion reactions have been reported in approximately 4% of patients treated with TEPEZZA. Reported infusion reactions have usually been mild or moderate in severity. Signs and symptoms may include transient increases in blood pressure, feeling hot, tachycardia, dyspnea, headache, and muscular pain. Infusion reactions may occur during an infusion or within 1.5 hours after an infusion. In patients who experience an infusion reaction, consideration should be given to premedicating with an antihistamine, antipyretic, or corticosteroid and/or administering all subsequent infusions at a slower infusion rate.

Preexisting Inflammatory Bowel Disease: TEPEZZA may cause an exacerbation of preexisting inflammatory bowel disease (IBD). Monitor patients with IBD for flare of disease. If IBD exacerbation is suspected, consider discontinuation of TEPEZZA.

Hyperglycemia: Increased blood glucose or hyperglycemia may occur in patients treated with TEPEZZA. In clinical trials, 10% of patients (two-thirds of whom had preexisting diabetes or impaired glucose tolerance) experienced hyperglycemia. Hyperglycemic events should be controlled with medications for glycemic control, if necessary. Assess patients for elevated blood glucose and symptoms of hyperglycemia prior to infusion and continue to monitor while on treatment with TEPEZZA. Ensure patients with hyperglycemia or preexisting diabetes are under appropriate glycemic control before and while receiving TEPEZZA.

Hearing Impairment Including Hearing Loss: TEPEZZA may cause severe hearing impairment including hearing loss, which in some cases may be permanent. Assess patients' hearing before, during, and after treatment with TEPEZZA and consider the benefit-risk of treatment with patients.

ADVERSE REACTIONS

The most common adverse reactions (incidence $\geq 5\%$ and greater than placebo) are muscle spasm, nausea, alopecia, diarrhea, fatigue, hyperglycemia, hearing impairment, dysgeusia, headache, dry skin, weight decreased, nail disorders, and menstrual disorders.

Please see accompanying [Full Prescribing Information](#) or visit TEPEZZAhcp.com for more information.

Reference: 1. TEPEZZA (teprotumumab-trbw) [prescribing information] Horizon.